

NORMAL FLOAT AUTO REAL RADIAN MP

Plot1 Plot2 Plot3

$Y_1 = (-1/4)X^2 - 2$

$Y_2 =$

$Y_3 =$

$Y_4 =$

$Y_5 =$

$Y_6 =$

$Y_7 =$

$Y_8 =$

NORMAL FLOAT AUTO REAL RADIAN MP

Plot1 Plot2 Plot3

$Y_1 = (-1/4)X^2 - 2$

$Y_2 =$

$Y_3 =$

$Y_4 =$

$Y_5 =$

$Y_6 =$

$Y_7 =$

$Y_8 =$

NORMAL FLOAT AUTO REAL RADIAN MP

Plot1 Plot2 Plot3

$Y_1 = (-1/4)X^2 - 2$

$Y_2 =$

$Y_3 =$

$Y_4 =$

$Y_5 =$

$Y_6 =$

$Y_7 =$

$Y_8 =$

NORMAL FLOAT AUTO REAL RADIAN MP

Plot1 Plot2 Plot3

$Y_1 = 2^{X-1} - 1$

$Y_2 =$

$Y_3 =$

$Y_4 =$

$Y_5 =$

$Y_6 =$

$Y_7 =$

$Y_8 =$

NORMAL FLOAT AUTO REAL RADIAN MP

Plot1 Plot2 Plot3

$Y_1 = 2^{X-1} - 1$

$Y_2 =$

$Y_3 =$

$Y_4 =$

$Y_5 =$

$Y_6 =$

$Y_7 =$

$Y_8 =$

NORMAL FLOAT AUTO REAL RADIAN MP

Plot1 Plot2 Plot3

$Y_1 = 2^{X-1} - 1$

$Y_2 =$

$Y_3 =$

$Y_4 =$

$Y_5 =$

$Y_6 =$

$Y_7 =$

$Y_8 =$

NORMAL FLOAT AUTO REAL RADIAN MP

Plot1 Plot2 Plot3

$Y_1 = \log(X+3)$

$Y_2 =$

$Y_3 =$

$Y_4 =$

$Y_5 =$

$Y_6 =$

$Y_7 =$

$Y_8 =$

$Y_9 =$

NORMAL FLOAT AUTO REAL RADIAN MP

Plot1 Plot2 Plot3

$Y_1 = \log(X+3)$

$Y_2 =$

$Y_3 =$

$Y_4 =$

$Y_5 =$

$Y_6 =$

$Y_7 =$

$Y_8 =$

$Y_9 =$

NORMAL FLOAT AUTO REAL RADIAN MP

Plot1 Plot2 Plot3

$Y_1 = \log(X+3)$

$Y_2 =$

$Y_3 =$

$Y_4 =$

$Y_5 =$

$Y_6 =$

$Y_7 =$

$Y_8 =$

$Y_9 =$

NORMAL FLOAT AUTO REAL RADIAN MP

Plot1 Plot2 Plot3

$Y_1 = X^3 + 2X^2 - X - 2$

$Y_2 =$

$Y_3 =$

$Y_4 =$

$Y_5 =$

$Y_6 =$

$Y_7 =$

$Y_8 =$

NORMAL FLOAT AUTO REAL RADIAN MP

Plot1 Plot2 Plot3

$Y_1 = X^3 + 2X^2 - X - 2$

$Y_2 =$

$Y_3 =$

$Y_4 =$

$Y_5 =$

$Y_6 =$

$Y_7 =$

$Y_8 =$

NORMAL FLOAT AUTO REAL RADIAN MP

Plot1 Plot2 Plot3

$Y_1 = X^3 + 2X^2 - X - 2$

$Y_2 =$

$Y_3 =$

$Y_4 =$

$Y_5 =$

$Y_6 =$

$Y_7 =$

$Y_8 =$

NORMAL FLOAT AUTO REAL RADIAN MP

Plot1 Plot2 Plot3

$Y_1 = \frac{X}{X-2}$

$Y_2 =$

$Y_3 =$

$Y_4 =$

$Y_5 =$

$Y_6 =$

$Y_7 =$

$Y_8 =$

NORMAL FLOAT AUTO REAL RADIAN MP

Plot1 Plot2 Plot3

$Y_1 = \frac{X}{X-2}$

$Y_2 =$

$Y_3 =$

$Y_4 =$

$Y_5 =$

$Y_6 =$

$Y_7 =$

$Y_8 =$

NORMAL FLOAT AUTO REAL RADIAN MP

Plot1 Plot2 Plot3

$Y_1 = \frac{X}{X-2}$

$Y_2 =$

$Y_3 =$

$Y_4 =$

$Y_5 =$

$Y_6 =$

$Y_7 =$

$Y_8 =$

NORMAL FLOAT AUTO REAL RADIAN MP

Plot1 Plot2 Plot3

$Y_1 = \sqrt{4-X}$

$Y_2 =$

$Y_3 =$

$Y_4 =$

$Y_5 =$

$Y_6 =$

$Y_7 =$

$Y_8 =$

NORMAL FLOAT AUTO REAL RADIAN MP

Plot1 Plot2 Plot3

$Y_1 = \sqrt{4-X}$

$Y_2 =$

$Y_3 =$

$Y_4 =$

$Y_5 =$

$Y_6 =$

$Y_7 =$

$Y_8 =$

NORMAL FLOAT AUTO REAL RADIAN MP

Plot1 Plot2 Plot3

$Y_1 = \sqrt{4-X}$

$Y_2 =$

$Y_3 =$



















$Y_4 =$

$Y_5 =$

$Y_6 =$

$Y_7 =$

$Y_8 =$



NORMAL FLOAT AUTO REAL RADIAN MP 

WINDOW  
Xmin=-5  
Xmax=5  
Xscl=1  
Ymin=-1  
Ymax=5  
Yscl=1  
Xres=1  
 $\Delta X = .03787878787878$   
TraceStep=.07575757575757

NORMAL FLOAT AUTO REAL RADIAN MP 

WINDOW  
Xmin=-10  
Xmax=10  
Xscl=1  
Ymin=-10  
Ymax=10  
Yscl=1  
Xres=1  
 $\Delta X = .07575757575757$   
TraceStep=.15151515151515

NORMAL FLOAT AUTO REAL RADIAN MP 

WINDOW  
Xmin=-2  
Xmax=10  
Xscl=1  
Ymin=-2  
Ymax=10  
Yscl=1  
Xres=1  
 $\Delta X = .04545454545454$   
TraceStep=.09090909090909

NORMAL FLOAT AUTO REAL RADIAN MP 

WINDOW  
Xmin=-20  
Xmax=20  
Xscl=2  
Ymin=-20  
Ymax=20  
Yscl=2  
Xres=1  
 $\Delta X = .15151515151515$   
TraceStep=.3030303030303

NORMAL FLOAT AUTO REAL RADIAN MP 

WINDOW  
Xmin=■3  
Xmax=5  
Xscl=1  
Ymin=-3  
Ymax=5  
Yscl=1  
Xres=1  
 $\Delta X = .03030303030303$   
TraceStep=.06060606060606

NORMAL FLOAT AUTO REAL RADIAN MP 

WINDOW  
Xmin=-5  
Xmax=5  
Xscl=1  
Ymin=-5  
Ymax=5  
Yscl=1  
Xres=1  
 $\Delta X = .03787878787878$   
TraceStep=.07575757575757

NORMAL FLOAT AUTO REAL RADIAN MP 

WINDOW  
Xmin=-5  
Xmax=5  
Xscl=1  
Ymin=-1  
Ymax=5  
Yscl=1  
Xres=1  
 $\Delta X = .03787878787878$   
TraceStep=.07575757575757

NORMAL FLOAT AUTO REAL RADIAN MP 

WINDOW  
Xmin=-10  
Xmax=10  
Xscl=1  
Ymin=-10  
Ymax=10  
Yscl=1  
Xres=1  
 $\Delta X = .07575757575757$   
TraceStep=.15151515151515

NORMAL FLOAT AUTO REAL RADIAN MP 

WINDOW  
Xmin=-2  
Xmax=10  
Xscl=1  
Ymin=-2  
Ymax=10  
Yscl=1  
Xres=1  
 $\Delta X = .04545454545454$   
TraceStep=.09090909090909

NORMAL FLOAT AUTO REAL RADIAN MP 

WINDOW  
Xmin=-20  
Xmax=20  
Xscl=2  
Ymin=-20  
Ymax=20  
Yscl=2  
Xres=1  
 $\Delta X = .15151515151515$   
TraceStep=.3030303030303

NORMAL FLOAT AUTO REAL RADIAN MP 

WINDOW  
Xmin=■3  
Xmax=5  
Xscl=1  
Ymin=-3  
Ymax=5  
Yscl=1  
Xres=1  
 $\Delta X = .03030303030303$   
TraceStep=.06060606060606

NORMAL FLOAT AUTO REAL RADIAN MP 

WINDOW  
Xmin=-5  
Xmax=5  
Xscl=1  
Ymin=-5  
Ymax=5  
Yscl=1  
Xres=1  
 $\Delta X = .03787878787878$   
TraceStep=.07575757575757

NORMAL FLOAT AUTO REAL RADIAN MP 

WINDOW  
Xmin=-5  
Xmax=5  
Xscl=1  
Ymin=-1  
Ymax=5  
Yscl=1  
Xres=1  
 $\Delta X = .03787878787878$   
TraceStep=.07575757575757

NORMAL FLOAT AUTO REAL RADIAN MP 

WINDOW  
Xmin=-10  
Xmax=10  
Xscl=1  
Ymin=-10  
Ymax=10  
Yscl=1  
Xres=1  
 $\Delta X = .07575757575757$   
TraceStep=.15151515151515

NORMAL FLOAT AUTO REAL RADIAN MP 

WINDOW  
Xmin=-2  
Xmax=10  
Xscl=1  
Ymin=-2  
Ymax=10  
Yscl=1  
Xres=1  
 $\Delta X = .04545454545454$   
TraceStep=.09090909090909

NORMAL FLOAT AUTO REAL RADIAN MP 

WINDOW  
Xmin=-20  
Xmax=20  
Xscl=2  
Ymin=-20  
Ymax=20  
Yscl=2  
Xres=1  
 $\Delta X = .15151515151515$   
TraceStep=.3030303030303

NORMAL FLOAT AUTO REAL RADIAN MP 

WINDOW  
Xmin=■3  
Xmax=5  
Xscl=1  
Ymin=-3  
Ymax=5  
Yscl=1  
Xres=1  
 $\Delta X = .03030303030303$   
TraceStep=.06060606060606

NORMAL FLOAT AUTO REAL RADIAN MP 

WINDOW  
Xmin=-5  
Xmax=5  
Xscl=1  
Ymin=-5  
Ymax=5  
Yscl=1  
Xres=1  
 $\Delta X = .03787878787878$   
TraceStep=.07575757575757

NORMAL FLOAT AUTO REAL RADIAN MP				
PRESS + FOR $\Delta$ Tb1				
X	Y1			
0	2			
1	1.7321			
2	1.4142			
3	1			
4	0			
5	ERROR			
6	ERROR			
7	ERROR			
8	ERROR			
9	ERROR			
10	ERROR			

X=0

NORMAL FLOAT AUTO REAL RADIAN MP				
PRESS + FOR $\Delta$ Tb1				
X	Y1			
0	0			
1	-1			
2	ERROR			
3				
4				
5				
6				
7				

X=0

NORMAL FLOAT AUTO REAL RADIAN MP				
PRESS + FOR $\Delta$ Tb1				
X	Y1			
0	.47712			
1	.60206			
2	.69897			
3	.77815			
4	.8451			
5	.90309			
6	.95424			
7	1			
8	1.0414			
9	1.0792			
10	1.1139			

X=0

NORMAL FLOAT AUTO REAL RADIAN MP				
PRESS + FOR $\Delta$ Tb1				
X	Y1			
0	-2			
1	-2.25			
2	-3			
3	-4.25			
4	-6			
5	-8.25			
6	-11			
7	-14.25			
8	-18			
9	-22.25			
10	-27			

X=0

NORMAL FLOAT AUTO REAL RADIAN MP				
PRESS + FOR $\Delta$ Tb1				
X	Y1			
0	-5			
1	0			
2	1			
3	3			
4	7			
5	15			
6	31			
7	63			
8	127			
9	255			
10	511			

X=0

NORMAL FLOAT AUTO REAL RADIAN MP				
PRESS + FOR $\Delta$ Tb1				
X	Y1			
0	-2			
1	0			
2	12			
3	40			
4	90			
5	168			
6	280			
7	432			
8	630			
9	880			
10	1188			

X=0

NORMAL FLOAT AUTO REAL RADIAN MP				
PRESS + FOR $\Delta$ Tb1				
X	Y1			
0	2			
1	1.7321			
2	1.4142			
3	1			
4	0			
5	ERROR			
6	ERROR			
7	ERROR			
8	ERROR			
9	ERROR			
10	ERROR			

X=0

NORMAL FLOAT AUTO REAL RADIAN MP				
PRESS + FOR $\Delta$ Tb1				
X	Y1			
0	0			
1	-1			
2	ERROR			
3	3			
4	2			
5	5			
6	3			
7	7			

X=0

NORMAL FLOAT AUTO REAL RADIAN MP				
PRESS + FOR $\Delta$ Tb1				
X	Y1			
0	.47712			
1	.60206			
2	.69897			
3	.77815			
4	.8451			
5	.90309			
6	.95424			
7	1			
8	1.0414			
9	1.0792			
10	1.1139			

X=0

NORMAL FLOAT AUTO REAL RADIAN MP				
PRESS + FOR $\Delta$ Tb1				
X	Y1			
0	-2			
1	-2.25			
2	-3			
3	-4.25			
4	-6			
5	-8.25			
6	-11			
7	-14.25			
8	-18			
9	-22.25			
10	-27			

X=0

NORMAL FLOAT AUTO REAL RADIAN MP				
PRESS + FOR $\Delta$ Tb1				
X	Y1			
0	-5			
1	0			
2	1			
3	3			
4	7			
5	15			
6	31			
7	63			
8	127			
9	255			
10	511			

X=0

NORMAL FLOAT AUTO REAL RADIAN MP				
PRESS + FOR $\Delta$ Tb1				
X	Y1			
0	-2			
1	0			
2	12			
3	40			
4	90			
5	168			
6	280			
7	432			
8	630			
9	880			
10	1188			

X=0

NORMAL FLOAT AUTO REAL RADIAN MP				
PRESS + FOR $\Delta$ Tb1				
X	Y1			
0	2			
1	1.7321			
2	1.4142			
3	1			
4	0			
5	ERROR			
6	ERROR			
7	ERROR			
8	ERROR			
9	ERROR			
10	ERROR			

X=0

NORMAL FLOAT AUTO REAL RADIAN MP				
PRESS + FOR $\Delta$ Tb1				
X	Y1			
0	0			
1	-1			
2	ERROR			
3				
4				
5				
6				
7				

X=0

NORMAL FLOAT AUTO REAL RADIAN MP				
PRESS + FOR $\Delta$ Tb1				
X	Y1			
0	.47712			
1	.60206			
2	.69897			
3	.77815			
4	.8451			
5	.90309			
6	.95424			
7	1			
8	1.0414			
9	1.0792			
10	1.1139			

X=0

NORMAL FLOAT AUTO REAL RADIAN MP				
PRESS + FOR $\Delta$ Tb1				
X	Y1			
0	-2			
1	-2.25			
2	-3			
3	-4.25			
4	-6			
5	-8.25			
6	-11			
7	-14.25			
8	-18			
9	-22.25			
10	-27			

X=0

NORMAL FLOAT AUTO REAL RADIAN MP				
PRESS + FOR $\Delta$ Tb1				
X	Y1			
0	-5			
1	0			
2	1			
3	3			
4	7			
5	15			
6	31			
7	63			
8	127			
9	255			
10	511			

X=0

NORMAL FLOAT AUTO REAL RADIAN MP				
PRESS + FOR $\Delta$ Tb1				
X	Y1			
0	-2			
1	0			
2	12			
3	40			
4	90			
5	168			
6	280			
7	432			
8	630			
9	880			
10	1188			

X=0